SEP 29 2005

TION DISCLOSURE STATEMENT BY APPLICANT

Attorney Docket Number	7158-71253-09
Application Number	10/616,410
Filing Date	July 8, 2003
First Named Inventor	Hunter
Art Unit	1642
Examiner Name	Lei Yao, Ph.D.

U.S. PATENT DOCUMENTS

Copies of U.S. Patent documents do not need to be provided, unless requested by the Patent and Trademark Office. For patents, provide the patent number and the issue date. For published U.S. applications, provide the publication number and the publication date. For unpublished pending patent applications, provide the application number and the filing date.

Examiner's Initials*	Cite No. (optional)	Number	Publication Date	Name of Applicant or Patentee
M		5,443,962	08/22/1995	Draetta et al.
M		5,952,467	09/14/1999	Hunter et al.
щ		6,596,848	07/22/2003	Hunter et al.
		2002/0025521	02/28/2002	Lu et al.
		2004/0101896	05/27/2004	Hunter et al.
		2005/0027107	02/03/2005	Hunter et al.
M		2005/0049404	03/03/2005	Hunter et al.
•		l	l l	1

FOREIGN PATENT DOCUMENTS

Examiner's Initials*	Cite No. (optional)	Country	Number	Publication Date	Name of Applicant or Patentee
9		WIPO	WO 99/12962	03/1999	Lu et al.
1		WIPO	WO 00/48621	08/2000	Lu et al.
		WIPO	WO 01/75067	10/2001	Drmanac et al.
0		WIPO	WO 01/79449	10/2001	Tang et al.
Examiner's Initials*	Cite No. (optional)		ОТ	HER DOCUMENTS	3
Ĉγ			_ -	tyrosine phosphoryl	ation is not required for entry

EXAMINER	1:01	DATE	4-26-00
SIGNATURE:		CONSIDERED:	4-86-90

^{*} Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.

		Attorney Docket Number	7158-71253-09		
		Application Number	10/616,410		
INFORM	IATION DISCLOSURE STATEMENT	Filing Date	July 8, 2003		
	BY APPLICANT	First Named Inventor	Hunter		
		Art Unit	1642		
		Examiner Name	Lei Yao, Ph.D.		
	Burgess et al., "Possible dissociation	of the heparin-binding and	mitogenic activities of		
161	heparin-binding (acidic fibroblast) g				
1 4	site-directed mutagenesis of a single	lysine residue." J. Cell Biol	., 111:2129-2138, 1990.		
	Cech, "Ribozymes and Their Medica 3034, 1988.	al Implications." J. Am. Mea	l. Assn., 260(20):3030-		
	Choi et al., "Activation of p34 ^{cdc2} proin mouse oocytes and embryos." De				
	Chong et al., "A human telomeric pr				
	Durfee et al., "The retinoblastoma proceed catalytic subunit." Genes Dev., 7:55	Durfee et al., "The retinoblastoma protein associates with the protein phosphatase type 1 catalytic subunit." Genes Dev., 7:555-569, 1993.			
	Dyck et al., "A Novel Macromolecular Structure Is a Target of the Promyelocyte-Retino				
	Acid Receptor Oncoprotein." Cell, 76:333-343, 1994.				
	Eldredge et al., "Use of Tetracycline Operator System to Regulate Oncogene Expression in Mammalian Cells." Methods Enzymol., 254:481-491, 1995.				
	Engleman, Human Hydbridomas and Monoclonal Antibodies, New York: Plenum Press,				
M	Fields and Song, "A novel genetic system to detect protein-protein interactions." <i>Nature</i> , 340:245-246, 1989.				
		Fraley and Papahadjopoulos, "New generation lipsomes: the engineering of an efficient			
	Fruman <i>et al.</i> , "Immunophilins in pro 8:391-400, 1994.	vehicle for intracellular delivery of nucleic acids." <i>Trends Biochem. Sci.</i> , 6:77-80, 1981. Fruman <i>et al.</i> , "Immunophilins in protein folding and immunosuppression." <i>FASEB J.</i> , 8:391-400, 1994.			
	Fu and Maniatis, "Factor required fo discrete regions in the nucleus." Nat	Fu and Maniatis, "Factor required for mammalian spliceosome assembly is localized to discrete regions in the nucleus." <i>Nature</i> , 343:437-441, 1990.			
		Fujimori et al., "Mice Lacking Pin1 Develop Normally, but Are Defective in Entering Cell Cycle from G ₀ Arrest." Biochem. Biophys. Res. Commun., 265:658-663, 1999.			
		Gavin et al., "Histone H1 kinase activity, germinal vesicle breakdown and M phase entry in mouse oocytes." J. Cell Sci., 107:275-283, 1994.			
	Gossen and Bujard, "Tight control or responsive promoters." <i>Proc. Natl.</i> 2				
	Gui et al., "A serine kinase regulates cell cycle." Nature, 369:678-682, 19	intracellular localization of			
M	Hanes et al., "Sequence and Mutatio Saccharomyces cerevisiae." Yeast, 5	nal Analysis of ESS1, a Gene	Essential for Growth in		

EXAMINER SIGNATURE: DATE CONSIDERED: 4-26-06	
---	--

^{*} Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.

		Attorney Docket Number	7158-71253-09		
INFORMATION DISCLOSURE STATEMENT BY APPLICANT		Application Number	10/616,410		
		Filing Date	July 8, 2003		
		First Named Inventor	Hunter		
		Art Unit	1642		
		Examiner Name	Lei Yao, Ph.D.		
y	Hani et al., "PTF1 encodes an essen shows strong homology with a new 202, 1995.	tial protein in Saccharomyce putative family of PPIases."	s cerevisiae, which FEBS Lett., 365:198-		
	Hannon et al., "Isolation of the Rb-r cyclins." Genes Dev., 7:2378-2391,		action with CDK2 and		
	Harper et al., "The p21 Cdk-Interact Dependent Kinases." Cell, 75:805-8	ing Protein Cip1 Is a Potent	Inhibitor of G1 Cyclin-		
	Heitman et al., "Identification of Im Companion Methods Enzymol., 5:17	munosuppressive Drug Targo 6-187, 1993.			
	Helene, "The anti-gene strategy: control of gene expression by triplex-forming-oligonucleotides." Anticancer Drug Des., 6:569-584, 1991 (abstract only). Hillier et al., EST-STS Database, Accession No. H41102, 1991. Hillier et al., EST-STS Database, Accession No. T82035, 1995.				
	Jaye et al., "Isolation of a human and 52-base synthetic oligonucleotide pr factor IX." Nucl. Acid Res., 11(8):2:	obe deduced from the amino	NA clone using a unique acid sequence of bovine		
	Jung et al., "Kinetics of MPF and his M-phase transition in mouse oocytes	stone H1 kinase activity diffe			
	Kohler and Milstein, "Continuous cultures of fused cells secreting antibody of predefin specificity." <i>Nature</i> , 256:495-497, 1975.				
	Lambert-Messerlian et al., "Human immunoreactive alpha-inhibin precu 78:433-439, 1994.	follicular fluid contains pro- rsor proteins." J. Clin. Endo	and C-terminal crinol. Metab.,		
	48 results in different biological acti	Lazar et al., "Transforming growth factor alpha: mutation of aspartic acid 47 and leucine 48 results in different biological activities." Mol. Cell Biol., 8:1247-1252, 1988.			
	Receptors." J. Biol. Chem., 263(7):3	Lee and Nathans, "Proliferin Secreted by Cultured Cells Binds to Mannose 6-Phosphase Receptors." J. Biol. Chem., 263(7):3521-3527, 1988.			
Up	Lu et al., "Properties and regulation Aspergillus nidulans." J. Biol. Chem	a., 268:8769-8776, 1993.	<u> </u>		
	Lu et al., "Identification of Substrate regulated NIMA Protein Kinase." J.				
V		Lu et al., "Evidence for a NIMA-like mitotic pathway in vertebrate cells." Cell,			

EXAMINER SIGNATURE:	الزا	DATE CONSIDERED:	4-26-06

^{*} Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.

		Attorney Docket Number	7158-71253-09		
		Application Number	10/616,410		
INFORM	ATION DISCLOSURE STATEMENT	Filing Date	July 8, 2003		
BY APPLICANT		First Named Inventor	Hunter		
		Art Unit	1642		
		Examiner Name	Lei Yao, Ph.D.		
W	Lu et al., "Expression of the noncata in Aspergillus nidulans." EMBO J.,		nase causes a G2 arrest		
	Lu et al., "A human peptidyl-prolyl Nature, 380:544-547, 1996		ation of mitosis."		
	Maher et al., "Oligonucleotide-Direct Artificial Repressors?" Antisense Re		ation: An Approach to		
	Mannino and Gould-Fogerite, "Lipo 6(7):682-690, 1988.		er." Biotechniques,		
	Marcus-Sekura, "Review: Techniqu Study Gene Expression." Anal. Biod		deoxyribonucleotides to		
	Morris et al., "The genetic analysis of mitosis in Aspergillus nidulans." Bioessays, 10:196-201, 1989.				
	O'Connell et al., "Premature chromatin condensation upon accumulation of NIMA." <i>EMBO J.</i> , 13:4926-4937, 1994.				
	Osmani et al., "Mitotic induction and maintenance by overexpression of a G2-specific gene that encodes a potential protein kinase." Cell, 53:237-244, 1988.				
	Osmani et al., "Parallel Activation of the NIMA and p34 ^{cdc2} Cell Cycle-Regulated Protein Kinases Is Required to Initiate Mitosis in A. nidulans." Cell, 67:283-291, 1991.				
	Peattie et al., "Expression and characterization of human FKBP52, an immunophilin that associates with the 90-kDa heat shock protein and is a component of steroid receptor complexes." Proc. Natl. Acad. Sci. USA, 89:10974-10979, 1992.				
	Rahfeld et al., "Confirmation of the existence of a third family among peptidyl-prolyl cis/trans isomerases: Amino acid sequence and recombinant production of parvulin." FEBS Lett., 352:180-184, 1994.				
\$	Rosborough et al., "Identification of FKBP-related proteins with antibodies of predetermined specificity and isolation by FK 506 affinity chromatography." Transplantation Proc., 23:2890-2893, 1991.				
1.	Rosenberg et al., "Vectors for selective expression of cloned DNAs by T7 RNA polymerase." Gene, 56:125-135, 1987.				
	Rudd <i>et al.</i> , "A new family of peptid 20:12-14, 1995.				
4	Sazer et al., "Mitochondrial growth a DNA replication in fission yeast." J.	. Cell Sci., 97:509-516, 1990			
M	Schreiber, "Chemistry and Biology of Ligands." Science, 251:283-287, 19		eir Immunosuppressive		

EXAMINER SIGNATURE:	Colf	DATE CONSIDERED:	42600	
	1 /			

^{*} Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.

		Attorney Docket Number	7158-71253-09	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT		Application Number	10/616,410	
		Filing Date	July 8, 2003	
		First Named Inventor	Hunter	
		Art Unit	1642	
		Examiner Name	Lei Yao, Ph.D.	
Y	Schultz et al., "Cell Cycle-depender Related to the NIMA Mitotic Regul 5:625-635, 1994.	ator of Asperigillus nidulans	." Cell. Growth Differ.,	
	Schultz et al., "Identification of 21 of a Family Related to the Cell Cycles Growth Differ., 4:821-830, 1993.	le Regulator nimA of Aspergi	llus nidulans ¹ ." Cell	
	Schweitzer et al., "NPK1, a nonesse with similarity to Aspergillus nidula	ans nimA." Mol. Gen. Genet.	, 234:164-167, 1992.	
	Sikorski and Hieter, "A System of Shuttle Vectors and Yeast Host Strains De Efficient Manipulation of DNA in Saccharomyces cerevisiae." Genetics, 122 1989.			
	Sorger and Murray, "S-phase feedbe phosphorylation of p34 ^{cdc28} ." Natur	re, 355:365-368, 1992.		
	Stueland et al., "Full Activiation of Promote Entry into Mitosis in check cerevisiae." Mol. Cell. Bio., 13:374	p34 ^{CDC28} Histone H1 Kinase expoint-Arrested Cells of the Y		
T	Sudol et al., "Characterization of a FEBS Lett., 369:67-71, 1995.		e – the WW domain."	
	Sudol et al., "Characterization of th Its Role in Defining a Novel Proteir 270(24):14733-14741, 1995.			
	Wallace et al., "The use of synthetic Hybridization of oligonucleotides o Acid Res., 9(4):879-894, 1981.	•	-	
	Weintraub, "Antisence RNA and D	NA." Scientific American, 20	52:40-46, 1990.	
	Yocum et al., "Use of lacZ fusions Divergent GAL1-GAL10 Promoter i 4(10):1985-1998, 1984.	in Saccharomyces cerevisiae.	" Mol. Cell. Bio.,	
74	Yoon et al., "Genetic and Biochemi Protein, Cbf2p/Ndc10p, and the CD Biol., 15:4835-4842, 1995			

EXAMINER SIGNATURE:	df -	DATE CONSIDERED:	4.26-00

^{*} Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.